

Squad Battles: Eagles Strike

Vehicles & Weapons List

1. Vehicles	2
2. Aircraft	24
3. Heavy Weapons	25
1 Artillery	30

1. Vehicles

1/4 Ton Jeep

Armor: 4

Speed: 72

Capacity: 4

Reliability:

No Weapons

2-1/2 Ton Truck

Armor: 4

Speed: 72

Capacity: 18 No Weapons

Reliability:

Can Tow

3/4 Ton Truck

4 Armor:

Speed: 72 No Weapons

Capacity: 13

Reliability: Α

Assault Boat

Armor: 4

Speed: 24

Capacity: 13

Reliability: A

No Weapons



Naval

Bicycles

Armor: 4

Speed:

Capacity: 13

Reliability: Α

48 No Weapons

Canister

Armor: 4

Reliability: No Weapons

Parachute

Char B1-Bis



Armor: 40 **Speed:** 48

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
45mm	45 HE	4	70	40
45mm	45 AP	40	70	20
75mm/l	75 HE	5	110	50
(In Line)	75 AP	50	110	25

DUKW

Armor:

4

Speed: 48

Capacity: 13

Reliability: A

Amphibious

No Weapons

Elefant



Armor: 100

Reliability: A

Speed:

Tracked

24

Weapon	Load	Pen	Leth	Rng
PaK-43	PaK-43/AP	180	120	75
(In Line)	PaK-43/HE	6	120	50
MG-34/I (In Line)	7.92 34L	7	28	25

FlakPz 38(t) Gepard



Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
Flak-38	20 Flak	4	70	25
MG-34/I (In Line)	7.92 34L	7	28	25

FlakPz IV Ostwind



Armor: 30 **Speed:** 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
Flak-36	37 Flak	4	90	25
MG-34/I (In Line)	7.92 34L	7	28	25

FlakPz IV Wirbelwind



Armor: 30 **Speed:** 60

Reliability: A

Weapon	Load	Pen	Leth	Rng
Flak V	4x20 Flak	4	280	25
MG-34/I (In Line)	7.92 34L	7	28	25

Gw 38(t) H Bison



Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
sIG-33 (In Line)	sIG-33/HE	6	200	75

Gw 38(t) M Bison



Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
sIG-33	sIG-33/HE	6	200	75
(In Line)	310-33/11		200	/5

Hotchkiss H-39



Armor: 30

Speed: 60

Reliability: A

Tracked

4

Weapon	Load	Pen	Leth	Rng
37mm	37 HE	4	50	40
	37 AP	30	50	20

Horse-Drawn Wagon

Armor:

Speed: 24

Capacity: 4

Reliability: B

Can Tow

No Weapons

Hummel



Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
sFH-18	FH-150/HE	8	150	200
(Indirect)	FH-150/SK	-	-	200
(In Line)	FH-150/IL	-	-	160

Hummel w/DF



Armor: 20

Speed: 60

Reliability: A

Weapon	Load	Pen	Leth	Rng
sFH-DF (Indirect) (In Line)	FH-150/DF	8	225	50

Jeep w/30 cal



Armor: 4

Speed: 72

Capacity: 4
Reliability: A

Weapon	Load	Pen	Leth	Rng
30 cal	30 cal MMG	7	40	30

Jeep w/50 cal



Armor: 4

Speed: 72

Capacity: 4

Reliability: A

Weapon	Load	Pen	Leth	Rng
50 cal	50 cal HMG	12	50	45

JgdPz 38(t) Hetzer



Armor: 30

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-39	PaK-39/AP	100	110	50
(In Line)	PaK-39/HE	5	110	50
MG-34	7.92 34L	7	28	25

JgdPz IV/48



Armor: 40

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-39	PaK-39/AP	100	110	50
(In Line)	PaK-39/HE	5	110	50

JgdPz IV/70



Armor: 40

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-42	PaK-42/AP	120	110	75
(In Line)	PaK-42/HE	5	110	50

JgdPz V Jagdpanther



Armor: 80 **Speed:** 60

Reliability: A

Weapon	Load	Pen	Leth	Rng
PaK-43	PaK-43/AP	180	120	75
(In Line)	PaK-43/HE	6	120	50
MG-34/I (In Line)	7.92 34L	7	28	25

JgdPz VI Jagdtiger



Armor: 120

Speed: 24

Reliability: A

Tracked

Load	Pen	Leth	Rng
PaK-44/AP	200	160	75
PaK-44/HE	6	160	50
7.92 34L	7	28	25
	PaK-44/AP PaK-44/HE	PaK-44/AP 200 PaK-44/HE 6	PaK-44/AP 200 160 PaK-44/HE 6 160

KS-750 Motorcycle



Armor: 4

Speed: 72

Capacity: 1

Reliability:

Weapon	Load	Pen	Leth	Rng
MG-34	7.92 34L	7	28	25

KS-750 Motorcycle Gp



Armor: 4

Speed: 72

Capacity: 13

Reliability: A

No Weapons

Kubelwagen



Armor: 4



72

Capacity: 4

Reliability: A

No Weapons

LCA Landing Craft

Armor:

Speed:

: 12

Speed: 48

Capacity: 36

Reliability: A



Can Tow Can Carry

> Vehicles Naval

Weapon	Load	Pen	Leth	Rng
30 cal	30 cal MMG	7	40	30
30 cal	30 cal MMG	7	40	30

LCG Support Boat



Armor: 12

Speed: 36

Reliability: A

Naval

Weapon	Load	Pen	Leth	Rng
4.7in	4.7in HE	8	250	25
4.7in	4.7in HE	8	250	25

LCI(R) Rocket Boat

Toda ate ate atendó.

Armor: 12

Speed: 36

Reliability: A

Naval

Weapon	Load	Pen	Leth	Rng
5in Rocket (Indirect) (Single Use)	5in Rocket	8	700	100

No Weapons

LCM Landing Craft

Armor: 12

Speed: 36

Capacity: 72

Reliability: A

1

Can Tow Can Carry

> Vehicles Naval

LCM(R) Rocket Boat

Armor:

12

Speed: 36

Reliability: A

Naval

12

Weapon	Load	Pen	Leth	Rng
5in Rocket (Indirect) (Single Use)	5in Rocket	8	700	100

No Weapons

LCT Landing Craft

Armor:

Speed: 36

Capacity: 72

Reliability: A

. Kenubinty.

Can Tow

Can Carry

Vehicles

Naval

LCT(R) Rocket Boat



Armor: 12

Speed: 36

Reliability: A

Naval

Weapon	Load	Pen	Leth	Rng
5in Rocket (Indirect) (Single Use)	5in Rocket	8	700	100

LCVP Higgins Boat

Armor: 4

Speed: 48

Capacity: 36

Reliability: A

Can Tow Can Carry

> Vehicles Naval

> > 20

48

Weapon	Load	Pen	Leth	Rng
30 cal	30 cal MMG	7	40	30
30 cal	30 cal MMG	7	40	30



LVT(A)-4 AMTRAC

Armor: Speed:

Reliability: A

Amphibious Tracked

Weapon	Load	Pen	Leth	Rng
75mm M2	75 HE/M2	5	110	50
	75 AP/M2	50	110	25
50 cal	50 cal HMG	12	50	45

LVT-1 Alligator

Armor: 8

Speed: 48

Capacity: 26

Reliability: A

Amphibious

Tracked

Weapon	Load	Pen	Leth	Rng
50 cal	50 cal HMG	12	50	45
30 cal	30 cal MMG	7	40	30



LVT-2 Water Buffalo

Armor: 8

Speed: 48

Capacity: 26

Reliability: A

Amphibious Tracked

Weapon	Load	Pen	Leth	Rng
50 cal	50 cal HMG	12	50	45
30 cal	30 cal MMG	7	40	30

LVT-3 AMTRAC

Armor: 8

Speed: 48

Capacity: 26

Reliability: A

Amphibious Tracked

Weapon	Load	Pen	Leth	Rng
50 cal	50 cal HMG	12	50	45
30 cal	30 cal MMG	7	40	30



M-10 Wolverine



Armor: 30

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
76mm M7	76 HE/M7	5	110	50
	76 AP/M7	100	110	25

M-12



Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
155mm (Indirect) (In Line)	155mm HE	8	160	140
	155mm SK	-	-	140
	155mm IL	-	-	140

M-15 Halftrack



Armor: 8

Speed: 72

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
37mm M6	37 HE/M6	4	50	40
	37 AP/M6	30	50	20
50 cal	50 cal HMG	12	50	45
50 cal	50 cal HMG	12	50	45

M-16 Halftrack



Armor: 8

Speed: 72

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
Quad 50	Quad 50	12	200	45

M-18 Hellcat



Armor: 15

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
76mm M1	76 HE/M1	5	110	50
	76 AP/M1	100	110	25
50 cal	50 cal HMG	12	50	45

M-20 Armored Car



Armor: 10 **Speed:** 72

Reliability:

Weapon	Load	Pen	Leth	Rng
50 cal	50 cal HMG	12	50	45

M-21 Mortar Carrier



Armor: 8

Speed: 72 Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
81mm Mtr (Indirect)	81 HE/M1	5	80	125
	81 WP/M1	4	40	125
	81 IL/M1	-	-	86

M-24 Chaffee



Armor: 25

Speed: 72 Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
75mm M6	75 HE/M6	5	110	50
	75 AP/M6	100	110	25
50 cal	50 cal HMG	12	50	45
30 cal/l (In Line)	30 cal MMG	7	40	30

M-29 Weasel

Armor:

6

Speed: 60

Capacity: 5

Reliability: A

No Weapons



M-29C Weasel

Armor:

Speed: 60

Capacity: 5

Reliability: A

•

6

No Weapons



Amphibious

Can Tow

Tracked

M-3 Halftrack

Armor:

8

Speed: 72

Capacity: 13

Reliability: A

Can Tow Tracked

Weapon	Load	Pen	Leth	Rng
30 cal	30 cal MMG	7	40	30

M-36 Jackson



Armor: 30

Speed: 60 Reliability: Α

Tracked

Weapon	Load	Pen	Leth	Rng
90mm M3	90 HE/M3	5	120	50
	90 AP/M3	120	120	50
50 cal	50 cal HMG	12	50	45

M-4 Sherman DD



40 Armor:

Speed: 60 Reliability: A

Amphibious

Tracked

Weapon	Load	Pen	Leth	Rng
75 mm N/2	75 HE/M3	5	110	50
75mm M3	75 AP/M3	75	110	25
30 cal/l (In Line)	30 cal MMG	7	40	30
50 cal	50 cal HMG	12	50	45

M-4 Sherman Zippo



Armor: 40

Speed: 60

Reliability: Α

Tracked

Weapon	Load	Pen	Leth	Rng
Flame Gun	Napalm DF	64	600	4

M-4 Sherman Rhino



Armor: 40

Speed: 60

Reliability:

Has Blade Tracked

Weapon	Load	Pen	Leth	Rng
Rhino Blades				
75 mm N/2	75 HE/M3	5	110	50
75mm M3	75 AP/M3	75	110	25
30 cal/l (In Line)	30 cal MMG	7	40	30
50 cal	50 cal HMG	12	50	45

M-4A3/105 Sherman



Armor: 40

Speed: Reliability: A

Tracked

60

Weapon	Load	Pen	Leth	Rng
10Emm N/4	105 HE/M4	8	160	25
105mm M4	105 AT/M4	75	100	25
30 cal/l (In Line)	30 cal MMG	7	40	30
50 cal	50 cal HMG	12	50	45

M-4 Sherman Flail



Armor: 40 **Speed:** 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
75mm M3	75 HE/M3	5	110	50
7511111 1015	75 AP/M3	75	110	25
30 cal/l (In Line)	30 cal MMG	7	40	30
50 cal	50 cal HMG	12	50	45

M-4A3/75 Sherman



Armor: 40

Speed: 60 Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
75mm M3	75 HE/M3	5	110	50
75mm ivi3	75 AP/M3	75	110	25
30 cal/l (In Line)	30 cal MMG	7	40	30
50 cal	50 cal HMG	12	50	45

M-4A3/76 Sherman



Armor: 40

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
76mm M1	76 HE/M1	5	110	50
	76 AP/M1	100	110	25
30 cal/l (In Line)	30 cal MMG	7	40	30
50 cal	50 cal HMG	12	50	45

M-5 Stuart Rhino



Armor: 30

Speed: 60

Reliability: A

Weapon	Load	Pen	Leth	Rng
Rhino Blades				
27mm N/C	37 HE/M6	4	50	40
37mm M6	37 AP/M6	30	50	20
30 cal/l (In Line)	30 cal MMG	7	40	30
30 cal	30 cal MMG	7	40	30

M-5A1 Stuart



Armor: 30 Speed:

Reliability: A

Tracked

60

Weapon	Load	Pen	Leth	Rng
37mm M6	37 HE/M6	4	50	40
371111111111111111111111111111111111111	37 AP/M6	30	50	20
30 cal/l (In Line)	30 cal MMG	7	40	30
30 cal	30 cal MMG	7	40	30

M-7 Priest



Armor: 30

Speed: 60 Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
	105mm IF	8	110	100
105mm M2	105mm DF	8	160	50
(Indirect) (In Line)	105mm SK	-	-	100
	105mm IL	-	-	120
50 cal	50 cal HMG	12	50	45

M-7 Priest w/DF



Armor: 30

Speed: 60 Reliability: Α

Tracked

Weapon	Load	Pen	Leth	Rng
105mm DF	105mm HE	8	160	50
(Indirect) (In Line)	105mm SK	-	-	100
50 cal	50 cal HMG	12	50	45

M-8 Greyhound



Armor: 10

Speed: 72

Reliability:

Weapon	Load	Pen	Leth	Rng
27mm N/G	37 HE/M6	4	50	40
37mm M6	37 AP/M6	30	50	20
50 cal	50 cal HMG	12	50	45
30 cal	30 cal MMG	7	40	30

Marder II/131



20 Armor:

Speed: Reliability: A

Tracked

60

Weapon	Load	Pen	Leth	Rng
PaK-40	PaK-40/AP	100	110	50
(In Line)	PaK-40/HE	5	110	50

Marder II/132



Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-40	PaK-40/AP	100	110	50
(In Line)	PaK-40/HE	5	110	50

Marder III



Armor: 10

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-40	PaK-40/AP	100	110	50
(In Line)	PaK-40/HE	5	110	50

Maus



Armor: 200

Speed: 12

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
KwK-44	KwK-44/AP	200	160	75
	KwK-44/HE	6	160	50

Nashorn



Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-43	PaK-43/AP	180	120	75
(In Line)	PaK-43/HE	6	120	50

Opel 3-Ton Truck



Armor: 4

Speed: 72

Capacity: 18

Reliability: A

Can Tow

No Weapons

Parachutes



Armor:

Speed: 3

Capacity: 13

Reliability: A

Parachute

No Weapons

Prime Mover

Armor: 4

Speed: 72

Capacity: 12 No Weapons

Reliability: A

Tracked

PzKw II F

Armor: 20

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
KK 20	KwK-30/AP	20	30	25
KwK-30	KwK-30/HE	4	30	25
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw II L Lynx

Armor: 25

Reliability: A

Speed:

Tracked

72

Weapon	Load	Pen	Leth	Rng
KmK 30	KwK-30/AP	20	30	25
KwK-30	KwK-30/HE	4	30	25
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw III J

Armor: 45 **Speed:** 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
KK 20	KwK-38/AP	70	70	25
KwK-38	KwK-38/HE	5	70	50
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw IV F



Armor: 40 **Speed:** 60

Reliability: A

Weapon	Load	Pen	Leth	Rng
KwK-37	KwK-37/AP	60	110	25
KWK-37	KwK-37/HE	5	110	50
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw IV F2



Armor: 40 **Speed:** 60

Speed: 60 Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
KwK 406	KwK-40S/AP	100	110	50
KwK-40S	KwK-40S/HE	5	110	50
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw IV H



Armor: 50

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
KwK-40L	KwK-40L/AP	110	110	50
	KwK-40L/HE	5	110	50
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw IV J



Armor: 50

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
KwK 401	KwK-40L/AP	110	110	50
KwK-40L	KwK-40L/HE	5	110	50
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw V Panther



Armor: 85

Reliability: A

Speed:

Tracked

60

Weapon	Load	Pen	Leth	Rng
Kurk 43	KwK-42/AP	120	110	75
KwK-42	KwK-42/HE	5	110	50
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw VI B Tiger II



Armor: 100

Speed: 24 Reliability: A

Weapon	Load	Pen	Leth	Rng
KwK-43	KwK-43/AP	180	120	75
	KwK-43/HE	6	120	50
MG-34/I (In Line)	7.92 34L	7	28	25

PzKw VI E Tiger I



Armor: 80

Reliability: A

Speed:

Tracked

48

Weapon	Load	Pen	Leth	Rng
KwK-36	KwK-36/AP	100	120	50
KWK-36	KwK-36/HE	5	120	50
MG-34/I (In Line)	7.92 34L	7	28	25

Renault R-35



Armor: 30

Speed: 48

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
37mm	37 HE	4	50	40
3/111111	37 AP	30	50	20

Schwimmwagen

Armor:

4 72

Speed:

Capacity: 3

No Weapons



Amphibious

Reliability: A

SdKfz 10/4



Armor: 4

Speed: 72

Reliability: A

Weapon	Load	Pen	Leth	Rng
Flak-30	20 Flak	4	70	25

Tracked

4

SdKfz 2 Kettenkrad

Armor:

Speed: 72

Capacity: 2

Reliability:

No Weapons



Truc

SdKfz 221



Armor: 8

Speed: 72

Reliability: C

Weapon	Load	Pen	Leth	Rng
MG-42	7.92 42L	7	35	25

SdKfz 222



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
KwK-30	KwK-30/AP	20	30	25
KWK-50	KwK-30/HE	4	30	25
MG-34/I (In Line)	7.92 34L	7	28	25

SdKfz 231 (6-Rad)



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
KwK-30	KwK-30/AP	20	30	25
KWK-5U	KwK-30/HE	4	30	25
MG-34/I (In Line)	7.92 34L	7	28	25

SdKfz 231 (8-Rad)



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
KwK-30	KwK-30/AP	20	30	25
KWK-5U	KwK-30/HE	4	30	25
MG-34/I (In Line)	7.92 34L	7	28	25

SdKfz 233



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
StuK-37	StK-37/HE	5	110	50
(In Line)	StK-37/AP	60	110	25
MG-34/I (In Line)	7.92 34L	7	28	25

SdKfz 234/1



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
KwK 20	KwK-30/AP	20	30	25
KwK-30	KwK-30/HE	4	30	25
MG-42/I (In Line)	7.92 42L	7	35	25

SdKfz 234/2 Puma



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
KwK 20	KwK-39/AP	75	70	50
KwK-39	KwK-39/HE	5	70	50
MG-42/I (In Line)	7.92 42L	7	35	25

SdKfz 234/3



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
StuK-37	StK-37/HE	5	110	50
(In Line)	StK-37/AP	60	110	25
MG-42/I (In Line)	7.92 42L	7	35	25

SdKfz 234/4



Armor: 8
Speed: 72
Reliability: A

Weapon	Load	Pen	Leth	Rng
PaK-40	PaK-40/AP	100	110	50
(In Line)	PaK-40/HE	5	110	50
MG-42/I (In Line)	7.92 42L	7	35	25

SdKfz 250/1

Armor: 8

Speed: 72

Capacity: 11

Reliability: A

 Weapon
 Load
 Pen
 Leth
 Rng

 MG-34
 7.92 34L
 7
 28
 25



Can Tow Tracked

SdKfz 250/8



Armor: 8
Speed: 72
Capacity: 11
Reliability: A

Weapon	Load	Pen	Leth	Rng
IG-18 (In Line)	IG-18/HE	6	110	50
MG-34	7.92 34L	7	28	25

SdKfz 250/9



Armor: 8

Speed: 72

Capacity: 11

Reliability: A

T	1
Trm.	KPN

Weapon	Load	Pen	Leth	Rng
KK 20	KwK-30/AP	20	30	25
KwK-30	KwK-30/HE	4	30	25

SdKfz 251/1

8

Speed: 72 Capacity: 11

Armor:

Reliability: A

Can Tow Tracked

Weapon	Load	Pen	Leth	Rng	Ì
MG-34	7.92 34L	7	28	25	1

SdKfz 251/10



Armor: 8

Speed: 72

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-35	PaK-35/AP	40	55	25
(In Line)	PaK-35/HE	4	55	50
MG-34	7.92 34L	7	28	25

SdKfz 251/16



Armor: 8

Speed: 72

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
14mm FmW (Single Use)	14mm FmW	64	400	1
14mm FmW (Single Use)	14mm FmW	64	400	1

SdKfz 251/17



Armor: 8

Speed: 72

Reliability: A

Weapon	Load	Pen	Leth	Rng
Flak-30	20 Flak	4	70	25

Tracked

SdKfz 251/20



Armor: 8

Speed: 72

Capacity: 11

Reliability: A

Can Tow Tracked

Weapon	Load	Pen	Leth	Rng
Searchlight (Detection)	Light	-	-	25

SdKfz 251/2



Armor: 8

Speed: 72

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
GrW-34 (Indirect)	81 HE/GW	5	80	65
MG-34	7.92 34L	7	28	25

SdKfz 251/22



Armor: 8

Speed: 72

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
PaK-40	PaK-40/AP	100	110	50
(In Line)	PaK-40/HE	5	110	50

SdKfz 251/3



Armor:

Speed: 72

Capacity: 11

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
FuG Radio				
MG-34	7.92 34L	7	28	25

SdKfz 7/1



Armor: 4

Speed: 72

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
Flak V	4x20 Flak	4	280	25

SdKfz 7/2



4 Armor:

Speed: 72

Reliability: A

Weapon	Load	Pen	Leth	Rng
Flak-36	37 Flak	4	90	25

Tracked

Somua 35



Armor: 30

Speed: 60

Reliability: A

Weapon	Load	Pen	Leth	Rng
47mm	47 HE	4	70	40
	47 AP	40	70	20

StuG III D



Armor: 40

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
StuK-37	StK-37/HE	5	110	50
(In Line)	StK-37/AP	60	110	25

StuG III G



Armor: 50

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
StuK-40	StK-40/HE	5	110	50
(In Line)	StK-40/AP	80	110	50

StuG IV



Armor: 50

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
StuK-40	StK-40/HE	5	110	50
(In Line)	StK-40/AP	80	110	50

StuH 42



Armor: 40

Speed: 60

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
StuH-42	StH-42/HE	6	130	50
(In Line)	StH-42/AT	50	100	25

StuPz IV Brummbar



Armor: 60

Speed: 48

Reliability: A

Tracked

Weapon	Load	Pen	Leth	Rng
StuH-43	StH-43/HE	6	200	50
(In Line)	StH-43/AT	75	150	25

Sturmtiger



Armor: 100

Speed: 24

Reliability: B

Weapon	Load	Pen	Leth	Rng
StuM (In Line)	StuM/HE	64	380	25
MG-34/I (In Line)	7.92 34L	7	28	25

Truck w/50 cal

Armor: 4

Speed: 72

Capacity: 13

Reliability: A

Weapon	Load	Pen	Leth	Rng
50 cal	50 cal HMG	12	50	45

Can Tow

Waco Glider

Armor: 4

Speed: 72

Capacity: 13 No Weapons

Reliability: A

Glider

Waco Glider (No Crew)

Armor: 4

Speed: 72

Capacity: 13 No Weapons

Reliability: A

Glider

Wespe

Armor: 15

Speed: 60

Reliability: A

Tracked

FH-18
(Indirect)
(In Line)

pon	Load	Pen	Leth	Rng
-18	FH-105/HE	8	100	140
rect)	FH-105/SK	-	-	140
ine)	FH-105/IL	-	-	120

Wurfrahmen 40

Armor: 8 **Speed:** 72

Reliability: A

Weapon	Load	Pen	Leth	Rng
NW-28/32	NW-280/HE	8	280	40
(Indirect) (In Line)	NW-280/SK	-	-	40

2. Aircraft

Bf-109



Armor: 6 Reliability: A

Weapon	Load	Pen	Leth	Rng
2x20mm	2x20mm	18	144	50

FW-190



Armor: 6

Reliability: A

Weapon	Load	Pen	Leth	Rng
250kg Bomb	250kg HE	8	700	-

P-38 Lightning



Armor: 6

Reliability: A

Weapon	Load	Pen	Leth	Rng
500lb Bomb	500lb HE	8	700	-

P-47 Thunderbolt



Armor: 6

Reliability: A

Weapon	Load	Pen	Leth	Rng
500lb Bomb	500lb HE	8	700	-

P-51D Mustang



Armor: 6

Reliability: A

Weapon	Load	Pen	Leth	Rng
500lb Bomb	500lb HE	8	700	-

Typhoon



Armor: 6

Reliability: A

Weapon	Load	Pen	Leth	Rng
Rockets (Indirect) (Single Use)	Rockets	8	300	-

3. Heavy Weapons

Browning 50 cal HMG



Crew: 3

Reliability: A

Machine Gun

 Load
 Pen
 Leth
 Range

 50 cal HMG
 12
 50
 45

Flak-38 20mm AA



Crew: 3

Reliability: A

AA Gun

Load	Pen	Leth	Range
20 Flak	4	70	25

Flakvierling 20mm AA



Crew: 3

Reliability: A

AA Gun

Load	Pen	Leth	Range
4x20 Flak	4	280	25

GrW-201(b) 50mm Mtr



Crew: 2

Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
50 HE/GW	6	50	14

GrW-203(f) 50mm Mtr



Crew: 2

Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
50 HE/GW	6	50	14

GrW-211(f) 81mm Mtr



Crew: 3
Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
81 HE/GW	5	80	65
81 SK/GW (Smoke)	-	-	65
81 IL/GW (Illumination)	-	-	50

GrW-278(f) 81mm Mtr



Crew: 3
Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
81 HE/GW	5	80	65
81 SK/GW (Smoke)	-	-	65
81 IL/GW (Illumination)	-	-	50

GrW-34 81mm Mortar



Crew: 3
Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
81 HE/GW	5	80	65
81 SK/GW (Smoke)	-	-	65
81 IL/GW (Illumination)	-	-	50

GrW-36 50mm Mortar



Crew: 2

Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
50 HE/GW	6	50	14

GrW-42 120mm Mortar



Crew: 4
Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
120 HE/GW	8	120	165
120 SK/GW (Smoke)	-	-	165
120 IL/GW (Illumination)	-	-	120

LG-2 105mm RR



Crew: 3 Reliability: A

Small AT Gun

Load	Pen	Leth	Range
105 AT/LG (Ground Only)	75	100	15
105 HE/LG (Ground Only)	8	160	15

LG-1 75mm RR



Crew: 3 Reliability: A

Small AT Gun

Load	Pen	Leth	Range
75 AT/LG (Ground Only)	50	75	15
75 HE/LG (Ground Only)	5	110	15

LW 200mm Mortar



Crew: 4

Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
200 HE/LW	8	200	19

M-1 Bazooka



Crew: 2 Reliability: B

Light AT Weapon

Load	Pen	Leth	Range
2.36 M-1	60	60	3
(Ground Only)	60	00	

M-181mm Mortar



Crew: 3
Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
81 HE/M1	5	80	125
81 WP/M1 (Smoke)	4	40	125
81 IL/M1 (Illumination)	-	-	86

M-18 57mm RR



Crew: 2

Reliability:

Small AT Gun

Load	Pen	Leth	Range
57mm AT/RR	50	50	10
(Ground Only)	30	30	10

M-2 60mm Mortar



Crew: 2 Reliability: A

> Mortar Indirect

Load	Pen	Leth	Range
60 HE/M2	6	60	55
60 WP/M2 (Smoke)	4	30	55
60 IL/M2 (Illumination)	-	-	40

M-30 4.2" Mortar



Crew: 4
Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
4.2" HE	8	120	140
4.2" WP (Smoke)	4	60	140
4.2" IL (Illumination)	-	-	100

M-55 Quad 50 Cal



Crew: 3

Reliability: A

AA Gun

Load	Pen	Leth	Range
Quad 50	12	200	45

M-8 75mm Pack How



Crew: 4

Reliability: A

Mortar Indirect

Load	Pen	Leth	Range
75 HE/M8	5	110	50
75 AP/M8 (Vehicle Only)	50	110	25

M-9 Bazooka



Crew: 2

Reliability: A

Light AT Weapon

Load	Pen	Leth	Range
2.36 M-9	60	60	1
(Ground Only)			

M1917A1 30 cal HMG



Crew: 4

Reliability: B

Machine Gun

Load	Pen	Leth	Range
30 cal HMG	7	50	30

M1919A4 30 cal MMG



Crew:

Reliability: A

Machine Gun

Load	Pen	Leth	Range
30 cal MMG	7	40	30

MG-14(p) HMG



Crew: 4

Reliability: B

Machine Gun

Load	Pen	Leth	Range
30 cal HMG	7	50	30

MG-237(f) MMG



Crew: 3 **Reliability:**

Machine Gun

Load	Pen	Leth	Range
8mm MMG	7	40	30

MG-30(p) HMG



Crew: 4

Reliability:

Machine Gun

Load	Pen	Leth	Range
30 cal HMG	7	50	30

MG-34 Machine Gun



Crew: 3

Reliability:

Machine Gun

Load	Pen	Leth	Range
7.92 34H	7	45	45

MG-42 Machine Gun



Crew:

Reliability: Α

Machine Gun

Load	Pen	Leth	Range
7.92 42H	7	70	45

Nebelwerfer 105mm



Crew:

4 **Reliability:**

Mortar

Indirect

3

2

Load	Pen	Leth	Range
NW-105/HE	8	110	100
NW-105/SK	_	_	100
(Smoke)			100

PaK-35 37mm AT Gun



Crew:

Reliability:

Small AT Gun

Load	Pen	Leth	Range
PaK-35/AP	40	55	25
(Vehicle Only)			
PaK-35/HE	4	55	50
(Ground Only)	·	33	30

Panzerschreck



Crew:

Reliability: В

Light AT Weapon

Load	Pen	Leth	Range
88 PS-54	100	90	1
(Ground Only)	100	50	

4. Artillery

105mm Howitzer w/DF



Crew: 6
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
105mm HE	8	160	50
105mm SK (Smoke)	-	-	100

105mm Howitzer



Crew: 6
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
105mm IF	8	110	100
105mm DF (Ground Only)	8	160	50
105mm SK (Smoke)	-	-	100
105mm IL (Illumination)	-	-	120

155mm Howitzer



Crew: 6
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
155mm HE	8	160	140
155mm SK (Smoke)	-	-	140
155mm IL (Illumination)	-	-	140

5in Gun Turret



Crew: 6

Reliability: A

Fixed Gun Indirect On Ship

Load	Pen	Leth	Range
5in HE/NG	8	250	200
5in SK/NG (Smoke)	-	-	200

8in Gun Turret



Crew: 6

Reliability:

Fixed Gun Indirect On Ship

Load	Pen	Leth	Range
8in HE/NG	8	400	200
8in SK/NG (Smoke)	-	-	200

FH-18 105mm Howitzer



Crew: 6
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
FH-105/HE	8	100	140
FH-105/SK (Smoke)	-	-	140
FH-105/IL (Illumination)	-	-	120

FK-231(f) 75mm Gun



Crew:

Reliability: A

Towed Gun

Load	Pen	Leth	Range
FK-75/DF	6	110	50
(Ground Only)		110	30

FK-235(b) 75mm Gun



Crew: 6

Reliability: A

Towed Gun

Load	Pen	Leth	Range
FK-75/DF	6	110	50
(Ground Only)		110	30

FK-38 75mm Gun



Crew: 6

Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
FK-75/HE	6	75	100

Flak-18 88mm AA



Crew: 6
Reliability: A

Towed Gun

Load	Pen	Leth	Range
88 Flak/AP (Vehicle Only)	120	140	50
88 Flak/HE (Ground Only)	6	140	50

Flak-36 37mm AA



Crew: 3

Reliability:

Towed Gun

Load	Pen	Leth	Range
37 Flak	4	90	25

FT-17 Turret



Crew: 2 Reliability: A

Fixed Gun

Load	Pen	Leth	Range
37 HE/FT (Ground Only)	4	50	40
37 AP/FT (Ground Only)	4	50	40

IG-18 75mm Inf Gun



Crew: 3 Reliability: A

Towed Gun

Load	Pen	Leth	Range
IG-18/HE	6	110	50
(Ground Only)		110	30

IG-33 150mm Inf Gun



Crew: 3

Reliability: A

Towed Gun

Load	Pen	Leth	Range
sIG-33/HE	6	200	75
(Ground Only)		200	/3

K-18 105mm Gun



Crew: 6

Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
K-105/HE	8	100	200

K-18 150mm Gun



Crew: 6

Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
K-150/HE	8	150	300

K-18 170mm Gun



Crew:

Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
K-170/HE	8	170	350

K-418(f) 155mm Gun



Crew:

Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
K-155/HE	8	155	300

KwK-38 20mm Gun



Crew: 3 Reliability: A

Fixed Gun

Load	Pen	Leth	Range
KwK-30/AP (Vehicle Only)	20	30	25
KwK-30/HE (Ground Only)	4	30	25

KwK-L/42 50mm Gun



Crew: 3
Reliability: A

Fixed Gun

Load	Pen	Leth	Range
KwK-38/AP (Vehicle Only)	70	70	25
KwK-38/HE (Ground Only)	5	70	50

M-1 57mm AT Gun



Crew:

Reliability:

Towed Gun

Load	Pen	Leth	Range
57 AP/AT (Vehicle Only)	80	80	25
57 HE/AT (Ground Only)	6	80	50

M-1 57mm AT w/DS



Crew: 4
Reliability: A

Towed Gun

Load	Pen	Leth	Range
57 DS/AT (Vehicle Only)	150	80	25
57 AP/AT (Vehicle Only)	80	80	25
57 HE/AT (Ground Only)	6	80	50

M-2 90mm AT Gun



Crew: 6
Reliability: A

Towed Gun

Load	Pen	Leth	Range
90 AP/M3 (Vehicle Only)	120	120	50
90 HE/M3 (Ground Only)	5	120	50

M-5 3in AT Gun



Crew: 4
Reliability: A

Towed Gun

Load	Pen	Leth	Range
3in AP/AT (Vehicle Only)	100	110	25
3in HE/AT (Ground Only)	6	110	50

Nebelwerfer 150mm



Crew: 4
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
NW-150/HE	8	150	120
NW-150/SK (Smoke)	-	-	120

Nebelwerfer 210mm



Crew: 4
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
NW-210/HE	8	210	160
NW-210/SK (Smoke)	-	-	160

Nebelwerfer 280mm



Crew: 4
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
NW-280/HE	8	280	40
NW-280/SK (Smoke)	-	-	40

Nebelwerfer 320mm



Crew: 4
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
NW-320/HE	8	320	30
NW-320/SK (Smoke)	-	-	30

PaK-181(f) 47mm AT



Crew: 3

Reliability:

Towed Gun

Load	Pen	Leth	Range
PaK-181/AP (Vehicle Only)	50	70	25
PaK-181/HE (Ground Only)	4	70	50

PaK-38 50mm AT Gun



Crew: 3
Reliability: A

Towed Gun

Load	Pen	Leth	Range
PaK-38/AP (Vehicle Only)	70	70	25
PaK-38/HE (Ground Only)	5	70	50

PaK-40 75mm AT Gun



Crew: 4
Reliability: A

Towed Gun

Load	Pen	Leth	Range
PaK-40/AP (Vehicle Only)	100	110	50
PaK-40/HE (Ground Only)	5	110	50

PaK-43 88mm AT Gun



Crew: 6

Reliability:

Towed Gun

Load	Pen	Leth	Range
PaK-43/AP (Vehicle Only)	180	120	75
PaK-43/HE (Ground Only)	6	120	50

PaK-97/38(f) 75mm AT



Crew: 3
Reliability: A

Towed Gun

Load	Pen	Leth	Range
PaK-97/AP (Vehicle Only)	80	110	25
PaK-97/HE (Ground Only)	5	110	50

RA-43 Puppchen



Crew: 4

Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
88 RA-43	120	90	15
(Ground Only)	120	50	

sFH-18 150mm Howitzer



Crew: 6
Reliability: A

Indirect Towed Gun

Load	Pen	Leth	Range
FH-150/HE	8	150	200
FH-150/SK (Smoke)	-	-	200
FH-150/IL (Illumination)	-	-	160